Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030061598".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L2	2416	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L3	1970	((object machine machine-executable native) adj (code instruction language)) near3 (translat\$3 adapt\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L4	2	(insert add place put) adj10 (in into inside between) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L5	255	(insert add place put) adj5 (object machine machine-executable native) adj (code instruction language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L6	3252	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipulat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L7	2	("5727169" "5748855").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L8	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L9	7	(US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (US-20030208745-\$ or US-20040107217-\$).did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 18:03
L10	43358	"717"/("127" "131" "134" "138" "139").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L11	3542	((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipulat\$3 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03

					_	
L12	1195	("717"/("127" "131" "134" "138" "139").ccls.) and (((object machine machine-executable native) adj (code instruction language)) near5 (translat\$3 adapt\$5 transform\$5 chang\$3 manipulat\$3 modif\$7))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L13	6	("5742804" "6321328" "6044221" "5721865" "5615386" "5999736"). pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L14	6	("4910663" "6134710" "6195792" "6351844" "20030208745" "20040107217").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/15 18:03
L15	7	(US-20030208745-\$ or US-20040107217-\$).did. or (US-4910663-\$ or US-6134710-\$ or US-6195792-\$ or US-6351844-\$). did. or (WO-9712508-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/02/15 18:03
L16	2	L15 and interval	US-PGPUB; USPAT; EPO	OR	ON	2005/02/15 18:03
L17	1	"6134710".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L18	371	(branch adj prediction) and ((preload prefetch) adj ("instructions"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L19	.1	(add\$3 insert\$3) near5 ((branch adj prediction) and ((preload prefetch) adj ("instructions")))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L20	0	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number)) and (branch adj prediction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L21	66	(add\$3 insert\$3) near5 (preload prefetch) near5 (several interval number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L22	22	(add\$3 insert\$3) near5 ((preload prefetch) near3 (several interval number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L23	1	("6134710").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03

L24	132	multiple adj (prefetch pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L25	133	multiple adj (prefetch pre adj (fetch load))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:03
L26	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/15 18:08